

## (Dept. of Technical Education, Govt. of Gujarat) Mavadi Kankot Road, Near Krishnanagar - Rajkot



Website :- www.gecrj.cteguj.in email :-gec-raj-dte@gujarat.gov.in Ph.9978287873

No: GECR /2018/SSIP/MECH 04/ 1 ዛናን

Date: 30/11/2018

To

## INQUIRIES

Subj.: Quotation of Items required for SSIP PoC/Prototype Making Project MECH 04: (As per Annexure attached).

Sir,

I request you to sent your valued QUOTATION for the items mentioned in the statement enclosed (where necessary), with this letter. The following Conditions should be complied within your quotation and failure to which will render your quotation liable to rejection.

The quotation should be sent in a sealed cover. Outside the cover it should be clearly written Quotation for SSIP PoC/Prototype Making Project MECH 04: Last date 21/12/2018. If this writing is not shown outside the cover, the cover is likely to be opened earlier and be rejected.

- The last date for receiving the quotation is 21/12/2018, and the quotations will be opened at 16.00 hrs on 27/12/2018. You may remain present at the time and date of opening, if you so desire.
- Your rates should be strictly F.O.R. Institute, giving bifurcation of base price and applicable taxes. The delivery and installation of items should be at Government Engineering College, Mavadi-Kankot road, Near Krishna Nagar, Rajkot.
- The specifications of each item quoted should be completely described in the quotation. These specifications should be the same as those given in the statement enclosed herewith. In case you are unable to quote for one or more item/s, exactly as per the specifications of the tender/inquiry, you may quote for the item/s having identical or nearest resembling specifications stating respectively in accordance with specifications of the item offered by you differs with those prescribed by us.
- Rate must be quoted in specified units mentioned in the tender/quotation form,
- Conditional tender will not be accepted.
- Quotation must be on letter pad and duly signed and stamped otherwise quotation will be rejected. 6.
- The validity period for the quotation should be at least 3 (three) months or more from the date of opening of tender/quotation. Tender/Quotation once submitted shall remain final and irrevocable.

Page 1 of 3

- Items should be given in same serial number in the quotations as given in the tender form.
- 9. The inspection of the materials for approving them will be done only after the receipt of the goods by this Institution. Payment will be made only after the receipt of totally ordered acceptable items. Every effort will be made to make payment at an earliest, but in no circumstances any offer of discount for early payment will be accepted and any such offer of discount shall mean that you desire to give the said discount, and the said discount will be deducted from your bill under all circumstances.
- Goods/Articles ordered are not receivable by retrieving documents through bank as no Security Deposits or Earnest Money Deposit are taken from the bidders nor the inspection of goods is carried out prior to the dispatch.
- 11. This Office reserves the right to accept or reject any or all quotation/s without assigning any reason.
- You may please note that you have to quote only those items which are ready in your stock and the delivery can be made within <u>07</u> days.

Encl: 1 Sheet

PRINCIPAL, GOVT. ENGINEERING COLLEGE

RAJKOT.

Yours faithfully,

Page 2 of 3

## ANNEXURE - 1 MECH 04

SR NO.	COMPONENT	SPECIFICATION	Ouantity reguland
1	Hot plate with magnetic stirrer	Number of stirring Positions-1, Type of Drive Motor-Brushless Motor DC, Display Option/Output Read out Option-Digital, Minimum Speed Possible (RPM)-100, Magnetic stirrer Type-variable speed, Controler type-Microprocessor Controlled, Maximum Stirring capacity per position-3000 milliliter, Top plate Material-Stainless steel, Base material-Mild Steel, Warranty on Machine- 3 year, Input Voltage with Phase (V)- 220 V, 50 Hz AC, single phase, Maximum Speed (RPM) of variable speed mode equipment-1500 RPM,	Quantity required
2	Methanol	Stir Bar length-35mm.	44.
	V	Assay min-98%	25 Lit
3	КОН	Purity min-96%	250 gm
4	H2SO4	Purity min-96%	250 ml
5	Phenolphthalein	pH-8.2-10	125 ml
6	Beakers  50 ml 100 ml 250 ml 500 ml 1000 ml 2000 ml	Plastics	10 10 06 06 04 04
7	Standard Retort stand		2
8	clamps	Clamp for beaker	8
10	Separating funnel 2000 ml 1000 ml 500 ml		01 01 01
11	Condenser lig big 450 mm length	nećk-19/26	1
12	Glass Jar (2 lit)	Screw-Neck Bottles with plastic lid	10
13	Oven	18 x 18 x 18 cm Temp. Rage 10°C to 200°C with An Accuracy ± 1°C.	1

Signature of Mentor

(1) FX

(2) H

33 818

Signature of Head of Department

Page 3 of 3