



GOVERNMENT ENGINEERING COLLEGE

(Dept. of Technical Education, Govt. of Gujarat)
Mavadi Kankot Road, Near Krishnanagar - Rajkot

Website :- www.gecrj.cteguj.in
email :- gec-raj-dte@gujarat.gov.in Ph.9978287873



No: GECR /2018/SSIP/MECH 06/ 1506 (१२१५)

Date: 07/12/2018

To

INQUIRIES

Subj.: Quotation of Items required for SSIP PoC/Prototype Making Project MECH 06: (As per Annexure attached).

Sir,

I request you to sent your valued QUOTATION for the items mentioned in the statement enclosed (where necessary), with this letter. The following Conditions should be complied within your quotation and failure to which will render your quotation liable to rejection.

The quotation should be sent in a sealed cover. Outside the cover it should be clearly written Quotation for SSIP PoC/Prototype Making Project MECH 06: Last date 29/12/18. If this writing is not shown outside the cover, the cover is likely to be opened earlier and be rejected.

1. The last date for receiving the quotation is 29/12/18, and the quotations will be opened at 16.00 hrs on 31/12/18. You may remain present at the time and date of opening, if you so desire.
2. Your rates should be strictly F.O.R. Institute, giving bifurcation of base price and applicable taxes. The delivery and installation of items should be at Government Engineering College, Mavadi-Kankot road, Near Krishna Nagar, Rajkot.
3. The specifications of each item quoted should be completely described in the quotation. These specifications should be the same as those given in the statement enclosed herewith. In case you are unable to quote for one or more item/s, exactly as per the specifications of the tender/inquiry, you may quote for the item/s having identical or nearest resembling specifications stating respectively in accordance with specifications of the item offered by you differs with those prescribed by us.
4. Rate must be quoted in specified units mentioned in the tender/quotation form.
5. Conditional tender will not be accepted.
6. Quotation must be on letter pad and duly signed and stamped otherwise quotation will be rejected.
7. The validity period for the quotation should be at least 3 (three) months or more from the date of opening of tender/quotation. Tender/Quotation once submitted shall remain final and irrevocable.

8. Items should be given in same serial number in the quotations as given in the tender form.
9. The inspection of the materials for approving them will be done only after the receipt of the goods by this Institution. Payment will be made only after the receipt of totally ordered acceptable items. Every effort will be made to make payment at an earliest, but in no circumstances any offer of discount for early payment will be accepted and any such offer of discount shall mean that you desire to give the said discount, and the said discount will be deducted from your bill under all circumstances.
10. Goods/Articles ordered are not receivable by retrieving documents through bank as no Security Deposits or Earnest Money Deposit are taken from the bidders nor the inspection of goods is carried out prior to the dispatch.
11. This Office reserves the right to accept or reject any or all quotation's without assigning any reason
12. You may please note that you have to quote only those items which are ready in your stock and the delivery can be made within 28 days.

Yours faithfully,




Encl: 1 Sheet

ANNEXURE - I

MECH 06

SR NO.	COMPONENT	SPECIFICATION	Quantity required
1	Knucke Joint	Small size, Dual eye fork, 40c8 material, 800mm torque	2
2	Wheel Hub	90/100 rr wheel hub	5
3	Stud Nut	17 ich NUT 24 PIECES	24
4	Steering Wheel	19inch radious(maruti 800)	1
5	Steering Column	48210M84413 1	2
6	Column Joints	48220M84413	2
7	Steering Rack	Maruti 800 Steering rack	2
8	Ball Screw	(30cm*2inch)	1
9	Wheel Axle	Front axle (bajaj re) rear axle (bajaj re)	2
10	Drive Axle	Bajaj re 2	1
11	Suspension	Hydraulic spring typr mini suspension (UNICORN REAR SUSPENSION)	6
12	Engine	149cc 2 cylinder engine with 12.9ps@ 8000rpm	1
13	Planetary Gear Box	"Reduction Ratio: -3 to 1000:1 Rated Torque: -0.5 kg-m to 14500 kg-m Input Power: -0.25 HP to 50 HP Input Speed: -1440 RPM,960 RPM Prime Mover: -Electric Motor,Hydraulic Motor Input Type: -Free Input,Hollow Input,Spline Shaft Output Type: -Free Output,Hollow Input,Spline Shaft Mounting: -Foot Type,Flange Type,Shaft Mounted"	1
14	Transmission Chain	4 meter (BIKE CHAIN)- unicorn bike	1
15	Vehicle Chassis	Dipped galvanized square bar (2'inch,thickness-3mm)20 miter, round iron pipe10 mitre(3'inch), 'c' section channel 8 miter	1
16	Tie Road	TRE 02001A (8 qty)	8
17	Stand Bearing	6201 2 pieces	2
18	Wheel Bearing	43440M68K10	4
19	Ideal Gear	Ratio of drive & Driven gear 1:6	1
20	Crown Gear	Worm & worm wheel with aspect ratio of 1:4	1
21	Hydraulic Jack	Head Capacity 1 ton. Lifting Capacity (min.) 1 ton ,Working Pressure (bar)550-600, Lifting Stroke (mm)110	1
22	Universal Motor	1400-1800 RPM IP55 1.5 HP Diaomond view Cast Iron Electric	1



Signature of Mentor



Signature of Head of Department